

Visit our showroom:

5980 Clark Center Av. Sarasota Florida 34238


Opening Hours

- Monday Friday: 9am | 4pm
- ② Saturday: By Appointment
- Sunday: Closed

Get in Touch

- 941.390.5745
- @us_finesse

www.finesseus.com







01	About Us P.00
02	Acoustic Panei P.00
	Straight Slats Series P.005
	New Products P.008
	Ps Slats Series P.010
	Linear Series P.012
	Square Shape P.02
	Irregular ShapeP.027
	Mirror Block Series P044
03	Flexible Wall Panei P.040
04	MDF Wall Panei P048
05	Skirting Board P.050
06	Crown Moulding P.05
07	Stair Tread P.05
08	Installation Guide P.054
09	Customization Service
10	Types of veneer
11	Recommend colors
12	Product Patents

CERTIFICATES























ACOUSTIC PANEL

PROCESS INTRODUCTION





SPECIFICATIONS

Name	Acoustic Panei I Ceiling
Base Material	MDF Board I black HDF Board I PET Fiber
Finish	Paper I PVC I wood Veneer
Length	2400-3000 mm
Width	300mm I 600mm
Thickness	18mm I 21mm
Fire Performance	HDF is flame-retardant
Water proof	HDF is moisture-proof
Installation	Screws or mounting glue
Clean	Clean with a vacuum cleaner or a dry cloth,not with water

ADVANTAGES

Effective noise reduction

Sound-absorbing felt mitigates noise and reduced unwanted reverberations.

Rich in color and shape

Versatile woodgrain colors and finishes to appeal to any style of home or office.

Easy installation

Once the dimensions are clear, it only requires no-nail adhesive or nails to fix it to the wall

Size can be customized

CETESTING

IV. Test Result

Frequency	Absorption	1.0
f/Hz	Coefficient, a,	
100	0.13	
125	0.19	
160	0.23	0.8
200	0.35	
250	0.44	b°
315	0.60	Absorption Coefficient (4, 9.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
400	0.77	<u></u>
500	0.93	
630	1.00	2
800	0.96	1월.0.4 기 기 기 기 기 기 기 기 기 기 기 기 기 기 기 기 기 기 기
1000	0.91	
1250	0.78	8 /
1600	0.69	
2000	0.81	0.2
2500	0.87	
3150	0.81	
4000	0.84	1
5000	0.81	0.0
a.	0.67	1014101010141010101010141010161616161616
NRC	0.75	Frequency f/Hz

Requirement in EN 15102:2007+A1:2011 table 2:


Maximum migration in mg/kg
No upper limit
25
500
25
60
90
20
165

Conclusion: Pass Summary of Results:

	-			
No.	Test Item	Test Method	Result	Conclusion
		With reference to EN		
2	Formaldehyde	15102:2007+A1:2011 Section4.2&	ND	Pass
	Release	EN 12149:1997 test C, analysis was		F d 5 5

performed by UV-Vis





Width

F01# series

Line Width:20mm/25mm/27mm/30mm Line Thickness:9mm/12mm/15mm


V01# series

Line Width:20mm/25mm/27mm/30rnm Line Thickness:9mm/12mm/15mm




R01# series


Line Width: 18mm/24mm/30mm Line Thickness:9mm/12mm/15mm



A01# series

Line Width:20mm/25mm/27mm/30mm Line Thickness:9mm/12mm/15mm







25mm 15mm 12mm 9mm [

J01F01-MT1-81

STRAIGHT SLATS SERIES


MDF / HDF Slats

Finish	Paper / PVC / Wood Veneer
Material	MDF Board / black HDF Board+PET(Polyester)
Eco-friendly	CARB P2 / E1
Fire resistance	EN 13501CLASS B.ASTM E84 CLASS A (Customization Required)
Installation	Screws or glue
Reduce the noise	0.8
Customization	Support customization
Patent	Patented products



J01F01-MJ1-17







ACOUSTIC PANEL More styles can be customized upon request







J01V01



J01YF01 45/25X12



45mm 15mm 35mm 25mm 12mm 9mm 1 JO1YFO1 45/35/25X12




12mm | 12



J01YF01 50/30X12



















finesse.

















HDF WALL PANEL





PRODUCT STRUCTURE

3 SIDES COVERING SEAMLESS FLAT JOIN


PS SLATS SERIES

PS Slats

Finish	Thermal Transfer
Material	PS+PET(Polyester)
Eco-friendly	CARB P2/E1
Fire resistance	EN 13501CLASS B.ASTM E84 CLASS A (Customization Required)
Installation	Screws or glue
Reduce the noise	0.8
Customization	Support customization
Patent	Patented products




27mm 15mm 19mm JO1DRO1



JO1DRO2



27mm 15mm 12mm 9mm J JO1DF01







J01DF03







LINEAR SERIES

MDF/HDFSlats

Finish	PVC / Wood Veneer
Material	MDF Board / black HDF Board+PET (Polyester)
Eco-friendly	CARB P2/E1
Fire resistance	EN 13501CLASS B.ASTM E84 CLASS A (Customization Required)
Installation	Screws or glue
Reduce the noise	0.8
Customization	Support customization
Patent	Patented products





J01S02Panel Size: 2400*300*21 mm



J01S04Panel Size: 2400*195*21 mm






J01X01Panel Size: 2400*300*21 mm



J01X02Panel Size: 2400*300*21 mm



J01X03Panel Size: 2400*300*21 mm










J01X04Panel Size: 2400*445*21 mm



J01X05Panel Size: 2400°275°21 mm



J01X06Panel Size: 2400*355*21 mm



J01X12Panel Size: 2400*300*21 mm



J01X14Panel Size: 2400*300*21 mm



J01X15Panel Size: 2400*300*21 mm












J01X21 Panel Size: 2400*270*21 mm



J01X22Panel Size: 2400*275*21 mm



J01X25Panel Size: 2400*255*21 mm



J01Q01Panel Size: 2400*300*21 mm



J01Q02 Panel Size: 2400*300*21 mm




J01Q10 Panel Size: 2400*600*21 mm









J01Q11 Panel Size: 2400*600*21 mm



J01Q26Panel Size: 2400*190*21 mm



J01Q22Panel Size: 2400*600*21 mm



J01Y01Panel Size: 2400*300*21 mm



J01Y06 Panel Size: 2400*270*21 mm



J01Y22 Panel Size: 2400*240*21 mm









J01TX24Panel Size: 2400*600*21 mm



J01Y17Panel Size: 2400*600*21 mm



J01TY14Panel Size: 2400*600*21 mm



J01TF01Panel Size: 600*600*21 mm



J01TF02Panel Size: 600*600*21 mm



J01TF03Panel Size: 600*600*21 mm



J01TF05Panel Size: 600*600*21 mm

SQUARE SHAPE

MDF/HDFSlats

Finish	PVC / Wood Veneer
Material	MDF Board / black HDF Board+PET (Polyester)
Eco-friendly	CARB P2/E1
Fire resistance	EN 13501CLASS B.ASTM E84 CLASS A (Customization Required)
Installation	Screws or glue
Reduce the noise	0.8
Customization	Support customization
Patent	Patented products










J01TF06Panel Size: 600*600*21 mm




J01TF08Panel Size: 600*600*21 mm



J01TF13Panel Size: 600*600*21 mm




J01TF14Panel Size: 600*600*21 mm



J01TF15Panel Size: 600*600*21 mm



J01TF18Panel Size: 600*600*21 mm



J01TF19Panel Size: 600*600*21 mm



J01TF24Panel Size: 600*600*21 mm










finesse.

J01TF25Panel Size: 600*600*21 mm



J01TF26Panel Size: 600*600*21 mm



J01TF27Panel Size: 600*600*21 mm




JO1TRO1Panel Size: 300*300*21 mm





JO1TVO1Panel Size: 300*300*21 mm




J07K01Panel Size: 585*585*21 mm



J07K02Panel Size: 585*585*21 mm



JO1KNO4Panel Size: 600*600*21 mm









J01TQ102Panel Size: 600*600*21 mm



J01TQ103Panel Size: 600*600*21 mm



J01TQ104Panel Size: 600*600*21 mm



J01TQ105Panel Size: 600*600*21 mm



Panel Size: 350*300*21 mn



JO1TF17Panel Size: 450*390*21 mm



JO1TF12Panel Size: 600*600*21 mm



J01TF22Panel Size: 600*600*21 mm

IRREGULAR SHAPE

MDF/HDFSlats

Finish	PVC / Wood Veneer
Material	MDF Board / black HDF Board+PET (Polyester)
Eco-friendly	CARB P2/E1
Fire resistance	EN 13501CLASS B.ASTM E84 CLASS A (Customization Required)
Installation	Screws or glue
Reduce the noise	0.8
Customization	Support customization
Patent	Patented products









JO1TF16Panel Size: 600*600*21 mm



J01TF23Panel Size: 600*600*21 mm




JO1TQ02Panel Size: 765*380*18 mm

28



J01TQ04Panel Size: 800*790*18 mm



J01TQ05 Panel Size: 810*660*18 mm



J01TQ09Panel Size: 660*420*18 mm











J01TQ07Panel Size: 920*500*18 mm



J01TQ08Panel Size: 775*580*18 mm



J01TQ06 Panel Size: 915*500*18 mm




J01TQ12Panel Size: 907*795*18 mm



J01TQ13Panel Size: 910*560*18 mm




J01TQ14Panel Size: 590*395*18 mm









J01TQ16Panel Size: 815*545*18 mm



J01TQ18Panel Size: 550°545°18 mm



J01TQ19Panel Size: 945*545*18 mm



J01TQ22 Panel Size:623*440*18 mm



J01TQ38Panel Size:880*465*18 mm




J01TQ26Panel Size:765*385*18 mm











J01TQ27Panel Size:695*460*18 mm




J01TQ24Panel Size:800*660*18 mm



J01TQ31Panel Size:600*400*18 mm



J01TQ33Panel Size:800*800*18 mm



J01TQ37 Panel Size:670*450*18 mm



J01TQ30 Panel Size:550*550*18 mm










J01TQ01Panel Size:600*600*18 mm



J01TQ40Panel Size:600*600*18 mm



J01TQ41Panel Size:675*625*18 mm

finesse.



J01TQ42 Panel Size:760*550*18 mm



J01TQ43Panel Size:655*575*18 mm



J01TQ50Panel Size:890*530*18 mm









J01TQ51Panel Size:915*555*18 mm



J01TQ64Panel Size:884*623*18 mm



J01TQ45Panel Size:650*520*18 mm




J01TQ65Panel Size:600*555*18 mm



J01TQ67Panel Size:640*555*18 mm



J01TQ68Panel Size:600*510*18 mm









J01TQ70Panel Size:715*580*18 mm



J01TQ71Panel Size:715*615*18 mm



J01TQ75Panel Size:710*605*18 mm



J01TQ77Panel Size: 700*645*18 mm



J01TQ78Panel Size:870*530*18 mm



J01TQ79Panel Size:595*595*18 mm



J01TQ80Panel Size:662*655*18 mm









J01TQ81Panel Size:815*550*18 mm



J01TQ84 Panel Size:875*575*18 mm



J01TQ52Panel Size:730*500*18 mm



J01TQ82Panel Size:600*600*18 mm



J01TQ83Panel Size:640*650*18 mm



J01TQ86Panel Size:600*600*18 mm




J01TQ88Panel Size:650*640*18 mm





MIRROR BLOCK SERIES

Color	Copper hue / Silver
Material	PET+Ground-edge glass
Eco-friendly	CARB P2/E1
Fire resistance	EN 13501CLASS B.ASTM E84 CLASS A (Customization Required)
Installation	Screws or glue
Reduce the noise	0.8
Customization	Support customization
Patent	Patented products




J01TQ04Panel Size:825*681*12 mm







J07KN04-1Panel Size:600*600*12 mm




J01TQ12-1Panel Size:600*600*12 mm



J01TQ40-1Panel Size:600*600*12 mm



J01TQ02-1Panel Size: 760*380*12 mm



J01TQ36-1Panel Size:600*600*12 mm

















FLEXIBLE WALL PANEL

Finish	Paper / PVC / Veneer
Material	HDF/MDF/WOOD
Length	240cm~300cm
Width	30cm~120cm
Thickness	9mm/12mm/15mm/18mm









18/22/24mm


18/22/24mm 18/22/24mm


18/22/24mm











120mm

#MJ02A02



MDF WALL PANEL




M1 J02A02-PM15






M1 J02A02-PM14 (12X120mm)


















22-60mm



22-60mm














22-60mm

22-60mm





J05R07-3 Material:MDF+Paper Size:15x30mm











J05R07-2



#MJ02F09 120mm













47




























































HJ02F04-PM24





(15X145mm)










(18X125mm)

SKIRTING BOARD



SIZE: LONG:244cm-305cm WIDTH:5cm/5.8cm/7cm/8cm/9cm/10cm TH ICKNESS:9mm/12mm/15m/18mm MATERIAL: MDF/HDF/WOOD



SIZE: LONG:244cm-305cm WI DTH:5cm/5.8cm/7cm/8cm/9cm/10cm THICKNESS:9mm/12mm/15m/18mm MATERIAL: MDF/HDF/WOOD




SIZE: LONG:244cm-305cm WI DTH:5cm/5.8cm/7cm/8cm/9cm/10cm THICKNESS:9mm/12mm/15m/18mm MATERIAL: MDF/HDF/WOOD




SIZE: LONG:244cm-305cm WIDTH:5cm/5.8cm/7cm/8cm/9cm/10cm THICKNESS:9mm/12mm/15m/18mm MATERIAL: MDF/HDF/WOOD




SIZE: LONG:244cm-305cm WI DTH:5cm/5.8cm/7cm/8cm/9cm/10cm THICKNESS:9mm/12mm/15m/18mm MATERIAL: MDF/HDF/WOOD




LONG:244cm-305cm WIDTH:5cm/5.8cm/7cm/8cm/9cm/10cm THICKNESS:9mm/12mm/15m/18mm MATERIAL: MDF/HDF/WOOD



SIZE: LONG:244cm-305cm WI DTH:5cm/5.8cm/7cm/8cm/9cm/1 Ocm THICKNESS:9mm/12mm/15m/18mm MATERIAL: MDF/HDF/WOOD





LONG:244cm-305cm WI DTH:5cm/5.8cm/7cm/8cm/9cm/10cm THICKNESS:9mm/12mm/15m/18mm MATERIAL: MDF/HDF/WOOD



SIZE: LONG:244cm-305cm WIDTH:5cm/5.8cm/7cm/8cm/9cm/10cm THICKNESS:9mm/12mm/15m/18mm MATERIAL: MDF/HDF/WOOD

CROWN MOULDING







STAIR TREAD



Material: HDF /Real Wood / Bamboo

Thickness:6mm/8mm/9mm /12mm

Width:150mm/300mm/400mm or customized


Length:1200mm/2400mm or customized

Clousure Height:18mm/22mm /25mm/30mm/32mm /35mm

Clousure Width: 20mm / 30mm

Surface Texture: according to our PVC Texture Catalog







Closure Width


F12# Width W300mm W300mm Thickness [W400mm T6mm Closure Closure Width







INSTALLATION GUIDE



Before installation, make sure that the surface of the wall is clean and even.Do not store or install in any area with excessive moisture, or extremely low or high temperature. Interior application only, do not install outdoors.
















Utility Knife






Step3 Mounting the Panel




Step2 Cutting Panel




Stept Trim Edge

CUSTOMIZATION SERVICE

PVC/Paper/PET/Natural Wood Material Engineered Wood/Smoked Wood/... Veneer Texture Check our Texture Catalog Thickness Thin/Medium/Thick Slats Material Material PVC Foam/MDF/HDF/... 15mm/18mm/20mm/25mm/... Thickness 9mm/12mm/15mm/... PET Felt Board Absorb Soud PET Felt Board black/white/grey/... 4mm/9mm/...












Step4 Customize Package



TYPES OF VENEER

















Sticker on Surface

56

RECOMMEND COLORS































PRODUCT PATENTS

