

finesse.
global enterprise

Visit our showroom:
📍 5980 Clark Center
Av. Sarasota Florida
34238

Opening Hours
🕒 Monday - Friday: 9am | 4pm
🕒 Saturday: By Appointment
🕒 Sunday: Closed

Get in Touch
✉️ contact@finesseus.com
📞 941.390.5745
📱 @us_finesse



SHOWER DOOR AND ENCLOSURE

finesse.
global enterprise



Product catalog

- 01/ Hinge Shower Door.....01/08
- 02/ Frameless Sliding Shower Door.....09/12
- 03/ Framed Sliding Shower Door.....13/18
- 04/ Fixed glass shower screen.....19/26
- 05/ Pivot shower door.....27/30
- 06/ Walk in bathtub screen.....31/34
- 07/ Accessories series.....35/38

Hinge Shower Door



SD-001

Article	Specification	Details
Size	Customized size range	W:700-1500mm(27 1/2"-59") H:1850-2200mm(73"-87")
Glass	Tempered glass with certifications	CE, GS, ANSI, WATER MARK
	Glass thickness	6mm/8mm/10mm/12mm
	Glass color	Clear/Frosted/Pattern
Hardware	Hinge	304 stainless steel hinge
	Wall profile	2 pcs aluminum with 20mm(4/5") adjust each side
	Support bar	304 stainless steel support bar
	Handle	304 stainless steel/Aluminum alloy
	Hardware color	Polished/Brushed/Chrome









SD-015



SD-016



SD-018



SD-017



SD-019



SD-020



SD-023



SD-021



SD-022








SD-024

■ Frameless Sliding Shower Door



Article	Specification	Details
Size	Customized size range	W:1400-2500mm(55"-98") H:1850-2200mm(73"-87")
Glass	Tempered glass with certifications Glass thickness Glass color	CE, GS, ANSI, WATER MARK 6mm/8mm/10mm/12mm Clear/Frosted/Pattern
Hardware	frame Wall profile Pulley wheels Handle Hardware color	Aluminum alloy/Stainless steel 2 pcs aluminum with 20mm(4/5") adjust each side 4pcs durable pulley wheels 304 stainless steel/Aluminum alloy Polished/Brushed/Chrome





Framed Sliding Shower Door



Article	Specification	Details
Size	Customized size range	W:1400-2500mm(55"-98") H:1850-2200mm(73"-87")
Glass	Tempered glass with certifications Glass thickness Glass color	CE, GS, ANSI, WATER MARK 6mm/8mm/10mm/12mm Clear/Frosted/Pattern
Hardware	frame Wall profile Pulley wheels Handle Hardware color	Aluminum alloy/Stainless steel 2 pcs aluminum with 20mm(4/5") adjust each side 4pcs durable pulley wheels 304 stainless steel/Aluminum alloy Polished/Brushed/Chrome









■ Fixed glass shower screen



Article	Specification	Details
Size	Customized size range	W:1400-2500mm(55"-98") H:1850-2200mm(73"-87")
Glass	Tempered glass with certifications	CE, GS, ANSI, WATER MARK
	Glass thickness	6mm/8mm/10mm/12mm
	Glass color	Clear/Frosted/Pattern
Hardware	Support bar	304 stainless steel
	Wall profile	304 stainless steel
	Bottom clamp	304 stainless steel









■ Pivot shower door



Article	Specification	Details
Size	Customized size range	W:1400-2500mm(55"-98") H:1850-2200mm(73"-87")
Glass	Tempered glass with certifications	CE, GS, ANSI, WATER MARK
	Glass thickness	6mm/8mm/10mm/12mm
	Glass color	Clear/Frosted/Pattern
Hardware	Floor, wall mount, bracket pivot	304 stainless steel
	Wall profile	2 pcs aluminum with 20mm(4/5") adjust each side
	Handle	304 stainless steel/PVC knob
	Profile color	Polished/Brushed/Chrome






■ Walk in bathtub screen



SD-98

Article	Specification	Details
Size	Customized size range	W:700-1000mm(271"-39 2/5") H:1850-2200mm(73"-87")
Glass	Tempered glass with certifications	CE, GS, ANSI, WATER MARK
	Glass thickness	6mm/8mm/10mm/12mm
	Glass color	Clear/Frosted/Pattern
Hardware	Wall profile	2 pcs aluminum with 20mm(4/5") adjust each side
	Profile color	Polished/Brushed/Chrome





Accessories series

Handle series



shower tray



standard application



glass folder



Explosion-proof film series



Dull polish color crystal process



Silk screen pattern series

