

finesse.
global enterprise

Visit our showroom:
📍 5980 Clark Center
Av. Sarasota Florida
34238


Opening Hours
🕒 Monday - Friday: 9am | 4pm
🕒 Saturday: By Appointment
🕒 Sunday: Closed

Get in Touch
✉ contact@finesseus.com
📞 941.390.5745
📱 @us_finesse

finesse.

global enterprise

STAIRCASE AND RAILING





finesse. global enterprise

More than 10 years of experience in the building industry.

Offers stair, railing, window, door, curtain wall accessories, flooring, cabinets & partition...

Working with builders, developers, contractors for projects, distributors, wholesalers from countries all over the world.

We can do these things for you: free design; quality checking; production management; shipping arrangement; after-sales service.

Stay here for one stop service offered by Prima Housing.

Your commercial and residential projects would be easily solved here, with less time, less money, and less energy but abundant options.

Quality products, competitive prices, exceptional service.

Staircase



How to measure the staircase dimension?

Well width(W):deciding step length

Well length(L):deciding the shape of staircase


Beam thickness(A):deciding the fixing position

Floor height(H):deciding step height and step quantity

Step height(R)

Step depth(D)

Step width(B)



Straight Staircase



Reference Specification:

Floor height: 2625mm

Step width: 1010mm

Center beam thickness: 6mm

Riser:187.5mm

Component

Stair beam: 200*100*6mm/150*150*6mm carbon steelsus304, sus316 satin/mirror finish.


Tread support: 38*38mm tube;6mm tread plate carbon steel sus304,sus316 satin/mirror finish.

Tread: Carbon steel; stainless steel, solid wood; Glass.

Baluster: Diameter 50.8mm baluster carbon steelsus304,sus316 satin/mirror finish.


Handrail: Diameter 50.8mm carbon steel; stainless steel; PVC; wood

Railing: Glass; carbon steel; stainless steel



Central Beam Straight Staircase










Double Stringer Straight Staircase




Technical Data
Floor height: 4200mm
Step width: 1250mm
Center beam thickness: 6mm
Riser: 155.6mm

Component
Stair beam: 300*6+300*6mm carbon steel . powder coated finish
Tread support: 6mm bend plate carbon steel . powder coated finish
Tread: 20mm White marble with cover board
Baluster: 6+1.52+6mm tempered clear glass panel
Handrail: 40*40mm 304 sus U channel top handrail. electroplate gold color






Straight Staircase






Floor to floor height=2750mm, Step Width=1000mm, Riser=171.9mm, step=13pcs+2pcs platform			
Staircase stringer	Carbon steel	60*40*3mm main tube +40*40*3mm tube+20*20*2mm	galvanized+baking color
Tread support		8mm thickness carbon steel tread support plate	
Staircase tread	Slolid white oak wood	18mm thick marble stone steps	Painting(can adjust the color)
Staircase single side railing (height=1100mm)	Handrail	Dia40mm round white oak timber solid wood handrail	Painting(can adjust the color)
	LED light	Built In LED Light switch controlled	warm color
	Tempered glass	12mm tempered glass panel, polish edges with glass clamps connections	clear
Including all the accessories			





Outdoor Staircase





3000

1000

850

2000

250mm round steel, painted black

12mm tempered glass


350*100*10mm RHS
Carbon Steel

Step support (see detailed drawing)

Hollow Wooden Box (20MM
thickness Wood Plate)

A ELEVATION

Glass Floating Staircase



Wood Floating Staircase



Modern Design Cable Railing Floating Staircase For Villa



PR-F012




PR-F013




PR-F014

Spiral Staircase





Technical Data:

Floor height: 2997mm
Step width: 661mm
Center beam thickness: 4mm
Diameter: min1300
Riser: 150-200mm



Component

Stair beam: 114*4mm/76*4mm carbon steel .sus304,sus316 satin/mirror finish
Tread: Carbon steel; stainless steel, solid wood; Glass.
Tread support: 38mm;25mm round tube carbon steel .sus304,sus316 satin/mirror finish
Baluster: Diameter 25mm/38mm/50.8mmbaluster carbon steel .sus304,sus316 satin/mirror finish
Handrail: Diameter 50.8mm carbon steel; stainless steel; PVC; wood
Rod: 8mm solid rod,12.7mm rod, carbon steel .sus304, sus316 satin/mirror finish



Technical Data
Floor height: 4150mm
Step width: 700mm
Riser: 180mm


Component

Stair beam: dia 102*6/110*5mm carbon steel . powder coated finish
Tread: 15mm Laser cut carbon steel sheet with cover , powder coated finish
Baluster: dia 25*1.2mm carbon steel small post, powder coated finish
Handrail: 57*13mm carbon steel plate top handrail. powder coated finish







Curved Staircase



- Technical Data:**
Floor height: 3467mm
Step width: 1000mm
Center beam thickness: 6mm
Riser: 188.8mm
- Component**
Stair beam: 300*6+300*6mm carbon steel .sus304, sus316 satin/mirror finish
Tread support: 40*40*5mm; 50*50*5mm; 6mm/5mm bend plate carbon steel .sus304, sus316 satin/mirror finish
Tread: Carbon steel; stainless steel, solid wood; Glass.
Baluster: Diameter 50.8mm baluster carbon steel .sus304,sus316 satin/mirror finish
Handrail: Diameter 50.8mm carbon steel; stainless steel; PVC; wood
Rod: 8mm solid rod, 12.7mm rod, carbon steel .sus304, sus316 satin/mirror finish









PR-C014



Glass Curved Staircase



PR-C015



PR-C016



PR-C017





PR-C018




PR-C019

Technical Data:
floor to floor height: 3477mm,
width: 1200mm,
riser: 117mm,
step: 31pcs+1Landing

Component:
Staircase Tread: 12+1.9+12+1.9+12MM frosted tempered glass
Balustrade: 12+3.04+12+3.04+12MM clear tempered glass
Standoff | glass clamp | custom-made: custom-made








Railing


Glass Railing with Aluminum U Channel Base



62 & 70.5 U channel




For Glass 10-15mm thick
PAU 001-A




For Glass 19-24mm thick
PAU 001-B

Structure of product






45 U channel





For 12mm to 6+1.52+6mm tempered laminated glass
PAU 002


Installation Method





Other Designs




For 12mm to 15mm tempered glass




For 12mm to 19mm tempered glass



For 12mm to 6+1.52+6mm tempered laminated glass








For 17mm to 24mm tempered glass



For 10mm to 15mm tempered glass



Color Options




■ Spigot Glass Railing



Round Spigot
Dia42 x H160mm



PRS 001



PRS-S002



PRS-S001




PRS-S003

Square Spigot
Size 40 x 40 x 160mm
Size 50 x 50 x 200mm



PRS 002



PRS-S004



PRS-S005



PRS-S006

For Swimming Pool



Self-closing door lock





PRR-S010



PRR-S011



PRR-S012



PRR-S013




PRR-S014



Other designs



PRS 008













PRR-S015







PRR-S016

Glass Clamp









■ **Glass Baluster Railing**




Round Baluster



Square Baluster



Commercial glass balustrade



PRR-B014



PRR-B015



PRR-B016

■ Cable Railing



Fastener&Tool






■ Rod Railing





Glass


● Tempered Glass




● Frosted Glass



● Tinted Glass




Fort blue glass



Euro bronze glass



Gold bronze glass



Green glass

Handrail Options



PRH-W01



PRH-W02



PRH-W03



PRH-W04




PRH-W05



PRH-W06



PRH-W07



PRH-S01



PRH-S02



PRH-S03



PRH-S04

Handrail Fittings



PRH-01



PRH-02



PRH-03



PRH-04



PRH-05



PRH-06



PRH-07



PRH-08




PRH-09



PRH-10



PRH-11



PRH-12



PRH-13



PRH-14



PRH-15



PRH-16



PRH-17




PRH-18







PRH-19

Aluminum Railing



Aluminum Glass Railing





PRR-A010



PRR-A013





PRR-A014




PRR-A011




PRR-A012



180°



90°




末端


Wrought Iron







Laser Cutting






■ Aluminum Slat Fence







■ WPC



PVC Railing



PRR-W009



PRR-W010



PRR-W011



PRR-W012



PRR-W013



PRR-P001



PRR-P002



PRR-P003



Canada

● Glass Railing with Aluminum U Channel Base




● Glass Railing With Baluster Glass Clamp



● Railing




● Staright staircase



USA


● Staircase



● Railing



● Glass Railing with Aluminum U Channel Base



Australia

● Staright staircase



● Staright staircase



● Double staircase



● Floating saircase



● Spigot glass railing




● Glass Railing



UK

● Floating staircase



Sweden

- Glass Railing with Spigot



Netherlands Antilles

- Spigot glass railing



Fiji

- Glass Railing



Norway

- Glass Railing with Spigot
- Glass Railing with Aluminum Channel



Switzerland

- Glass Railing with Baluster



Seychelles

- Glass Railing with Aluminum Channel



Saudi arabia

- Glass Railing with Spigot



Cayman Islands

● Staircase




● Railing



Puerto rico

● Central beam staircase



Saint martin

● Staircase




Puerto rico

● Central beam staircase



Turks & Caicos islands

● Spigot glass railing







Virgin islands




● Stainless steel railing





■ Trial Assembly for Staircases











Package and Delivery



Prima Construction Materials Co., Ltd

Address: 404 Aina Business Building/Huafeng Road/Longhai District/Chenhai, China
Tel: 0596-770-2466666 Fax: 0596-770-2466666
Website: www.primaconstruction.com Email: admin@primaconstruction.com

Packing List

Date: 2016-10-22

Customer: 福建中远建设工程有限公司

Product Name: 玻璃面板

Material: 玻璃

Quantity: 120

Unit: 箱

Weight: 12000

Volume: 120

Company: Prima Construction

Commodity: Glass Panel

PI NO: PI-2016

Carton: NO.1

