

Visit our showroom:

5980 Clark Center Av. Sarasota Florida 34238

Opening Hours

- Monday Friday: 9am | 4pmSaturday: By Appointment
- Sunday: Closed

Get in Touch

- ☑ contact@finesseus.com
- 941.390.5745
- @us_finesse

finesse. global enterprise







OUR ADVANTAGE

Four Advantages >>>>>

One-stop service

From style selection, design scheme, transportation, installation, to after-sales service, we will provide you with the best service and guidance throughout the whole process.

Quality assurance

We have our own factory in Foshan, we provide the most reasonable prices to you, and no middlemen will make the difference. Every process will be strictly controlled to provide the best quality assurance.


OEM service

We have a professional design team, we can customize the size and color according to your drawings, and tailor a set of suitable solutions for you.

Rich experience

Our foreign trade team has more than 10 years experience. Can deal with different emergencies, even if you are importing for the first time, you can be also given professional guidance and effective solutions.


HOW TO ORDER



OUR CERTIFICATE








CONTENTS

Entrance Door	01-18
Pivot Door	02-08
Solid Wood Entrance Door	09-18
Composite Door	19-34
Composite Veneer Door	21-30
Composite Glass Door	31-34
Shaker Door	35-38
Barn Door	39-48
Ghost Gate	49-60
Pocket Door	61-72
Folding Door	73-84
Folding Door	73-78
Louver folding door	79-84
Sliding Door	85-88
PVC Door	89-90
Accessories	91-96



PIVOT DOOR

The floor spring door can open freely inside and outside, and can make a larger door size than the ordinary swing door, which is a common door for renovation projects.





finesse.





















































SOLID WOOD ENTRANCE DOOR

The processed solid wood door has the characteristics of non-deformation, corrosion resistance, no cracks and heat insulation. Moth-proof, moisture-proof, anti-fouling, heat-resistant, anti-cracking, strong and non-deformation, sound insulation, it is a durable product.















finesse.



































COMPOSITE VENEER DOOR

Composite wood veneer door has a strong resistance to deformation, it has a long maintenance cycle, good heat and sound insulation performance. It does not need to be painted, which is environmentally friendly and saves money.



















































finesse.



















COMPOSITE GLASS DOOR

The composite glass door is not easy to deform or crack, it is clear texture on the surface, the door has the characteristics of heat preservation, impact resistance, and flame retardant, and the sound insulation effect is basically the same as that of the solid wood composite door.



























































































































finesse. global enterprise
















































PR-ST024

PR-ST025






















finesse. global enterprise


















finesse.

























































finesse.



















LOUVER FOLDING DOOR

The louvered folding door is beautiful and energy-saving, simple and agile, and can be completely folded up with a clear view of the outside. It can also protect privacy while ventilating and letting in light.






























finesse. global enterprise









PR-YM010

PR-YM011











size range	height:1900-2200mm(74.8-86.6in)
	width:610-1050mm(24-41.34in)
	thickness:30-45mm(1.18-1.75in)
surface	0.12/0.14/0.16mm PVC film
	MDF sticks core
fill-in core	honeycomb paper core
	parlicle board core
edge sealing type	solid wood core
	dovetail groove
	PVC strips
	solid wood
finish type	finished



Wood door hardware classification



Xiaomi electronic lock



LANBO electronic lock



Samsung electronic lock




BOSCH electronic lock

Entry door mechanical locks



Model: PR-MS001 Material: Zinc Alloy





Model: PR-MS003 Material: Zinc Alloy



Model: PR-MS004 Material: 304 Stainless Steel



Model: PR-MS005 Material: 304 Stainless Steel



Model: PR-MS006 Material: 304 Stainless Steel

Pivot door locks



Model: PR-MS007 Material: Zinc Alloy



Model: PR-MS008 Material: 304 Stainless

Sliding door locks



Model: PR-MS009 Material: Zinc Alloy



Model: PR-MS010 Material: Zinc Alloy



Interior door lock



Model: PR-MS011 Material: 304 Stainless Steel Material: 304 Stainless Steel

Model: PR-MS012

Model: PR-MS013

Model: PR-MS014

Material: 304 Stainless Steel Material: 304 Stainless Steel



Model: PR-MS015 Material: Zinc Alloy



Model: PR-MS016 Material: Zinc Alloy



Model: PR-MS017 Material: Zinc Alloy



Model: PR-MS018 Material: Space Aluminum



Model: PR-MS019 Material: Space Aluminum





Model: PR-MS020 Material: Zinc Alloy

Swing door hinge



Model: PR-MS021 Material: 304 Stainless Steel Name: Non-Mortise Hinge



Model: PR-MS024 Material: 304 Stainless Steel Name: Invisible Hinge



Model: PR-MS022 Material: 304 Stainless Steel Name: Full Mortise Hinge



Model: PR-MS025 Material: 304 Stainless Steel Name: Hydraulic Hinge



Model: PR-MS023 Material: 304 Stainless Steel Name: Lift Off Hinge



Model: PR-MS026 Material: 304 Stainless Steel Name: Diuble Action Spring Hinge

Long pull handle



Model: PR-MS027



Model: PR-MS028



Model: PR-MS029



Model: PR-MS030 Material: 304 Stainless Steel Materi



Sliding door/folding door sliding track + pulley



Model: PR-MS031 Material: 304 Stainless Steel Type: Barn Door Sliding Track



Model: PR-MS032 Material: Aluminum Alloy Type: Barn Door Sliding Track Track Type: Barn Door Sliding Track



Model: PR-MS033 Material: Carbon Steel



Model: PR-MS034 Material: Aluminum Alloy Type: Sliding Door Sliding Track



Model: PR-MS035 Material: Sliding Door Hanging Wheel



Model: PR-MS036 Material: Sliding Door Hanging Wheel With Cushion



Model: PR-MS037 Material: Folding Door Hanging Wheel Set

Floor Spring Set



Model: PR-MS038 Material: Folding Door Hanging Wheel Set

Other Accessories



Model: PR-MS039 Material: 304 Stainless Steel Name: Ball Catch Latch



Model: PR-MS040 Material: 304 Stainless Steel Name: Roller Latch For Sliding Door / Folding Door

American-style door locks



PR-UK001



PR-UK002



PR-UK003



PR-UK004



PR-UK005



PR-UK006



PR-UK007



PR-UK008



PR-UK009



PR-UK010



PR-UK011



PR-UK012




PR-UK013




PR-UK014



Measuring method for door size



Measuring Door Opening (for door sets with frames)





A: Opening Width: Select the upper/middle/ lower points for measurement, choose the smallest one.

B: Opening Height: Select the left/middle/ right points for measurement, choose the smallest one.

C: Wall Thickness: Select the upper/middle/ lower points for measurement, choose the biggest one.







- 1.chck whether the size of the door frame match with the door leaf, or it is need to cut;
- 2.Use screw assemble the frame, the archiraves are not to installed;
- 3. Fasten the door frame to the hole with fixed iron plate;
- 4.Install hinges to secure the door leaf to the door frame;
- 5.Install the lock and stopper;
- 6.Install architraves to the door frame.